

PIG® HazMat Chemical Absorbent Mat Pad

MAT302 Lightweight, 15" x 20", 200 pads per bag

Safely soak up acids, bases, corrosives and hazardous chemical spills with our HazMat absorbent pads.

- Get the best value for cleaning up small leaks and drips of hazardous liquids with our lightweight pads
- Soaks up the widest range of acids, bases, corrosives, chemicals and unknown liquids - even those with high concentrations like 98% sulfuric acid and 30% sodium hydroxide
- Absorbs a wide range of hazardous liquids found in chemical storage areas, around dip tanks, in cleaning agents used in food processing plants, in boiler rooms, labs, and R&D departments
- Pink color is designated for hazardous chemicals and easy to identify in a spill emergency or cleanup
- Chemical-resistant mat won't degrade or cause a dangerous reaction upon contact with corrosive spills
- PIG Mat lasts 2x longer than competitive mats and won't rip, tear or fray even when saturated; liquids absorb quickly for faster, easier cleanups and safer workplaces
- Mats take on the properties of absorbed liquids - always take proper precautions when handling saturated absorbents



Specifications

Absorbency Range	20 - 29.9 gal.
Dimensions	15" W x 20" L
Mat Weight	Lightweight
Absorbency	Up to 22 gal. per bag
Absorbency per	Up to 14.08 oz. per pad
Brand	PIG
Color	Pink
Category	HazMat Chemical Absorbent Mat

Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Floating	No
Fluid Absorbed	Acids; Bases; Unknowns
Indoor/Outdoor	Indoor Use
Incinerable	Yes
Perforated	Yes
Perforated Pattern	10" x 15" sections
Reusable	No
Static-Dissipative	No
Traffic	Not Recommended for Foot Traffic
UV Resistant	No
Wringable	No
Sold as	200 pads per bag
Weight	17 lbs.
NSN (National Stock Number)	4235-01-450-9763
# per Pallet	36
Composition	Polypropylene
UNSPSC	47131901
Pigalog® Page Number	Page 69

Metric Equivalent

Absorbency per	Up to 416.3 mL per pad
Absorbency	Up to 83.3 L per bag
Weight	7.7 kg
Dimensions	38cm W x 51cm L

Technical Information

Technical Documents

[PIG Hazardous Chemical Absorbents](#)

[Technical Data Sheet for PIG® HazMat Absorbents](#)

[29 CFR 1910.22\(a\)\(2\)](#)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com

